Target elucidation through target degradation: discovery of BET bromodomains as the target of Hedgehog Pathway Inhibitor-1

Meropi Bagka, Hyeonyi Choi, Margaux Heritier, Hanna Schwaemmle, Quentin T. L. Pasquer, Simon M. G. Braun, Leonardo Scapozza, Yibo Wu, <u>Sascha Hoogendoorn</u>

Department of Organic Chemistry, University of Geneva, Quai Ernest-Ansermet 30, 1205 Geneve, Switzerland. Email: Sascha.hoogendoorn@unige.ch

Phenotypic screens are powerful to identify small molecules that act on a biological process of interest, but the elucidation of the cellular target and/or mechanism of action of the hit compounds presents a major challenge. Consequently, hit compounds often do not reach their full potential as pharmacological leads or chemical biology tool compounds.

Exemplary of this, Hedgehog Pathway Inhibitor 1 (HPI-1) was found as a hit in a phenotypic screen for the Hedgehog (Hh) signaling pathway – a major developmental signaling cascade that establishes the embryonic body plan, and dysregulation of which underlies various cancers [1]. HPI-1 robustly inhibits the Hh pathway in a variety of cell lines, downstream of the activator Smoothened, yet its cellular target has remained elusive for many years.



Here, we present the target elucidation of HPI-1 through the design, synthesis, and evaluation of corresponding proteolysis targeting chimeras (Hedgehog Pathway PROTACs, HPPs) coupled with label-free quantitative proteomics [2]. We show that HPP-9 robustly reports on HPI-1 action on various BET bromodomain proteins, epigenetic modulators known to be important for Hedgehog signal transduction, through their degradation. Moreover, HPP-9 is the first example of a PROTAC targeting the Hedgehog pathway, enabling novel pharmacological strategies to combat Hh pathway-driven disease.

References

[1] Hyman, J. M. *et al.* Small-molecule inhibitors reveal multiple strategies for Hedgehog pathway blockade. *Proc Natl Acad Sci U A*, **2019**, *106*, 14132–14137.

[2] Bagka, M., Choi, H., Heritier, M., Scapozza, L., Wu, Y., Hoogendoorn, S. Targeted protein degradation reveals BET bromodomains as the cellular target of Hedgehog Pathway Inhibitor-1. 2022, preprint on BioRxiv: <u>https://doi.org/10.1101/2022.08.16.504103</u>